AERCHEM INC.

320 North Walnut St. Bloomington, IN 47404

Tel: 812.334.9996 Fax: 812.334.1960 Emergency: 800.424.9300

Effective Date: 9/13/96

Product Name: Vitamin A Acetate

Chemical Formula: N/A

Cas No.: N/A

Hazardous Ingredients:

N/A

Physical Data:

Melting point (range) Approx.: N/A
Boiling point: N/A
Evaporation Rate (Butyl Acetate=1) N/A

Solubility in water: Practically insoluble

Appearance and Odor: Light yellow powder, characteristic odor

Vapor pressure (mm Hg): N/A
Vapor density (air =1): N/A

Fire and Explosion Information:

Flash point: N/A Flammable Limits: N/A

Extinguishing media to be recommended: Water mist, CO2, dry chemicals, or foam media Fire Fighting Procedures: Must wear approved self contained breathing

apparatus.

Special fire and explosions precautions:

None, but as with any dust if mixed with air in the

proper proportions, it can be explosive.

Reactivity Data: Stable in an unupened container

Hazardous Decomposition: None known **Hazardous Polymerization:** Will not occur

Incompatibilities: None known
Oxidizer properties: Not an oxidizer
Corrosive properties: Not corrosive
Other reactivity data: None known

Leak/Spill Information:

Steps to be Taken in Case Material is Released or Spilled: Flush area with water after disposal. Spills should

be contained and placed in a suitable container for

disposal.

Disposal Information:

Dispose in normal solid waste disposal in accordance with local, state and federal regulations.

Health Hazard Information:

Effects of Overesposure:

Toxicology Test Data: Rat. oral LD50-14.4 X 100000000 IU/kg

Mouse, oral, 1.11 x 10000000 IU/kg

Both above TOX test rating not found

AERCHEM INC. 320 N. Walnut St. Bloomington, IN 47404

Tel: 812.334.9996 Fax: 812.334.1960 Emergency: 800.424.9300

Acute Overexposure Effects: Prolonged contact with eyes and skin may result in irritation, there are no other known acute effects associated with this material. Ingestion mof excessive amounts of Vitamin A may result in headaches, nausea, blurred vision, and decreased appetite.

Chronic Exposures:

Chronic overexposure to vitamin A is associated with low red blood count, Joint/ bone pain, fatigue, depression, skin rash, and lover and spleen abnormalities. Some cases or hypervitasminosis A, have resulted in bone changes, and CNS effects. Animal studies have shown that vitamin A is a teratogenic in several species.

B. First Aid:

Inhalation: Remove to fresh air. May cause irritation. Aid in breathing if necessary. If irritation persists, seek medical attention.

Skin Contact: Wash with large amounts of soap and water. Remove and launder contaminated clothing before reuse. May cause irritation. If irritation persists, seek medical attention.

Eye Contact: Flush with water ar emergency eyewash for 15 minutes. May cause irritation. If irritation persists, seek medical attention.

Ingestion: If swallowed, dilute with water and immediately induce vomiting. Never give fluids or induce vomiting if the victim is unconcious or having convulsions. Get immediate medical attention.

Occupational Control Measures:

Ventilation Systems: Local Exhaust

Personal Respirators: OSHA approved nuisance mask

Skin Protection: Work gloves and protective clothing

Eye Protection: OSHA approved Safety glasses

Special Precautions:

Store in a cool dry place. Keep containers closed when not in use. Store in light, impervious containers.